Information Processing Letters 26 (1987/88) 329–330
North-Holland

25 January 1988

AUTHOR INDEX VOLUME 26 (1987/88)

(The issue number is given in front of the page numbers)

Abisha, P.J., *see* **Subramanian, K.G.** (2) 95– 97
Apostolico, A. and **S.E. Hambrusch**, Finding maximum cliques on circular-arc graphs (4) 209–215
Apt, K.R., L. Bougé and **Ph. Clermont**, Two normal form theorems for CSP programs (4) 165–171
Arbib, C., A polynomial characterization of some graph partitioning problems (5) 223–230

Babai, L., Random oracles separate *PSPACE* from the polynomial-time hierarchy (1) 51– 53
Băleanu, C. and **D. Tomescu**, An architecture for symbolic processing (4) 217–222
Balsters, H., Letter to the Editor (3) 163–164
Bermond, J.C., J.M. Fourneau and **A. Jean-Marie**, Equivalence of multistage interconnection networks (1) 45– 50
Berstel, J. and **S. Brlek**, On the length of word chains (1) 23– 28
Berztiss, A.T., A notation for distributed operations (1) 19– 21
Bezem, M. and **J. Van Leeuwen**, On estimating the complexity of logarithmic decompositions (6) 321–324
Book, R.V. and **H.-N. Liu**, Rewriting systems and word problems in a free partially commutative monoid (1) 29– 32
Bougé, L., *see* **Apt, K.R.** (4) 165–171
Brlek, S., *see* **Berstel, J.** (1) 23– 28

Carlsson, S., The Deap—A double-ended heap to implement double-ended priority queues (1) 33– 36
Chan, T.-H., The boundedness problem for three-dimensional vector addition systems with states (6) 287–289
Cidon, I., Yet another distributed depth-first-search algorithm (6) 301–305
Clermont, Ph., *see* **Apt, K.R.** (4) 165–171
Cole, R.J., An optimally efficient selection algorithm (6) 295–299
Cook, S.A., Short propositional formulas represent nondeterministic computations (*Note*) (5) 269–270
Culik, II, K. and **J. Karhumäki**, On totalistic systolic networks (5) 231–236
Czaja, L., Cause-effect structures (6) 313–319

De Vel, O.Y. and **E.V. Krishnamurthy**, An iterative pipelined array architecture for the generalized matrix inversion (5) 263–267
Driscoll, J.R., S.-D. Lang and **L.A. Franklin**, Modeling B-tree insertion activity (1) 5– 18
Dymond, P.W., Input-driven languages are in log n depth (5) 247–250

Edelsbrunner, H., *see* **Xiaojun Shen** (2) 61– 64

Fellows, M.R. and **M.A. Langston**, Nonconstructive advances in polynomial-time complexity (3) 157–162
Fourneau, J.M., *see* **Bermond, J.C.** (1) 45– 50
Franklin, L.A., *see* **Driscoll, J.R.** (1) 5– 18

Galil, Z. and **M. Yung**, Partitioned encryption and achieving simultaneity by partitioning (2) 81– 88
Gilbert, J.R., Some nested dissection order is nearly optimal (6) 325–328
Goodrich, M.T., Finding the convex hull of a sorted point set in parallel (4) 173–179
Gopalakrishnan, G.C. and **M.K. Srivas**, Implementing functional programs using mutable abstract data types (6) 277–286
Güntzer, U. and **M. Paul**, Jump interpolation search trees and symmetric binary numbers (4) 193–204
Gupta, A.K. and **S.E. Hambrusch**, Optimal three-dimensional layouts of complete binary trees (2) 99–104

Hambrusch, S.E., *see* **Gupta, A.K.** (2) 99–104
Hambrusch, S.E., *see* **Apostolico, A.** (4) 209–215
Hastad, J., One-way permutations in NC^0 (3) 153–155
Hinrichs, K., J. Nievergelt and **P. Schorn**, Plane-sweep solves the closest pair problem elegantly (5) 255–261
Hou, Y., Trinity algebra and its application to machine decompositions (3) 127–134

Incerpi, J. and **R. Sedgewick**, Practical variations of Shellsort (1) 37– 43

Jaumard, B. and **B. Simeone**, On the complexity of the maximum satisfiability problem for Horn formulas (1) 1– 4
Jean-Marie, A., *see* **Bermond, J.C.** (1) 45– 50

Karhumäki, J., *see* **Culik, II, K.** (5) 231–236
Karlsson, R.G. and **M.H. Overmars**, Normalized divide-and-conquer: A scaling technique for solving multi-dimensional problems (6) 307–312

0020-0190/88/$3.50 © 1988, Elsevier Science Publishers B.V. (North-Holland)

Krishnamurthy, E.V., *see* **De Vel, O.Y.** (5) 263–267

Lang, S.-D., *see* **Driscoll, J.R.** (1) 5– 18
Langston, M.A., *see* **Fellows, M.R.** (3) 157–162
Liu, H.-N., *see* **Book, R.V.** (1) 29– 32
Loh, N.K., *see* **Zhu, M.** (3) 121–126

Maggs, B.M. and **S.A. Plotkin**, Minimum-cost spanning tree as a path-finding problem (6) 291–293
Magott, J., Performance evaluation of concurrent systems using conflict-free and persistent Petri nets (2) 77– 80
Mäkinen, E., On the rotation distance of binary trees (*Note*) (5) 271–272
Martin, U., Extension functions for multiset orderings (4) 181–186
Mathieu, C., C. Puech and **H. Yahia**, Average efficiency of data structures for binary image processing (2) 89– 93
Métivier, Y. and **E. Ochmanski**, On lexicographic semi-commutations (2) 55– 59
Mirzaian, A., A halving technique for the longest stuttering subsequence problem (2) 71– 75
Moran, S. and **Y. Wolfstahl**, Extended impossibility results for asynchronous complete networks (3) 145–151
Morgan, C.C., Data refinement by miracles (5) 243–246

Nievergelt, J., *see* **Hinrichs, K.** (5) 255–261

Ochmanski, E., *see* **Métivier, Y.** (2) 55– 59
Olszewski, J., *see* **Sajeev, A.S.M.** (3) 135–143
Overmars, M.H., *see* **Karlsson, R.G.** (6) 307–312

Paul, M., *see* **Güntzer, U.** (4) 193–204
Pinter, S.S. and **Y. Wolfstahl**, Embedding ternary trees in VLSI arrays (4) 187–191
Plezkun, A.R., *see* **Thazhuthaveetil, M.J.** (2) 105–110
Plotkin, S.A., *see* **Maggs, B.M.** (6) 291–293
Puech, C., *see* **Mathieu, C.** (2) 89– 93

Rusinowitch, M., On termination of the direct sum of term-rewriting systems (2) 65– 70

Sajeev, A.S.M. and **J. Olszewski**, Manipulation of data structures without pointers (3) 135–143
Schorn, P., *see* **Hinrichs, K.** (5) 255–261
Sedgewick, R., *see* **Incerpi, J.** (1) 37– 43
Seiferas, J., A variant of Ben-Or's lower bound for algebraic decision trees (*Note*) (5) 273–276
Siemiński, A., Fast decoding of the Huffman codes (5) 237–241
Simeone, B., *see* **Jaumard, B.** (1) 1– 4
Siromoney, R., *see* **Subramanian, K.G.** (2) 95– 97
Siy, P., *see* **Zhu, M.** (3) 121–126
Soisalon-Soininen, E. and **J. Tarhio**, Looping LR parsers (5) 251–253
Srivas, M.K., *see* **Gopalakrishnan, G.C.** (6) 277–286
Subramanian, K.G., R. Siromoney and **P.J. Abisha**, A D0L–T0L public key cryptosystem (2) 95– 97
Sýkora, O. and **I. Vřto**, Tight chip area lower bounds for string matching (3) 117–119
Szalas, A., Arithmetical axiomatization of first-order temporal logic (3) 111–116

Takaoka, T., A decomposition rule for the Hoare logic (4) 205–208
Tarhio, J., *see* **Soisalon-Soininen, E.** (5) 251–253
Thazhuthaveetil, M.J. and **A.R. Pleszkun**, On the structural locality of reference in LISP list access streams (2) 105–110
Tomescu, D., *see* **Băleanu, C.** (4) 217–222

Van Leeuwen, J., *see* **Bezem, M.** (6) 321–324
Vřto, I., *see* **Sýkora, O.** (3) 117–119

Wolfstahl, Y., *see* **Moran, S.**, (3) 145–151
Wolfstahl, Y., *see* **Pinter, S.S.** (4) 187–191

Xiaojun Shen and **H. Edelsbrunner**, A tight lower bound on the size of visibility graphs (2) 61– 64

Yahia, H., *see* **Mathieu, C.** (2) 89– 93
Yung, M., *see* **Galil, Z.** (2) 81– 88

Zhu, M., N.K. Loh and **P. Siy**, Towards the minimum set of primitive relations in temporal logic (3) 121–126